

REFERENCE: SF-610011

PROJECT: 17BP.8.R.105

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
GEOTECHNICAL ENGINEERING UNIT

STRUCTURE  
SUBSURFACE INVESTIGATION

COUNTY Montgomery  
PROJECT DESCRIPTION Bridge #011 on SR 1164  
(Tuckertown Rd.) over Garr Creek

SITE DESCRIPTION \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

CONTENTS

SHEET NO.	DESCRIPTION
1	TITLE SHEET
2	LEGEND
3	SITE PLAN
4	PROFILE
5	CROSS SECTIONS
6-18	BORE LOGS & CORE REPORTS WITH CORE PHOTOGRAPHS

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	SF-610011	1	18

CAUTION NOTICE

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N. C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 707-6850. THE SUBSURFACE PLANS AND REPORTS, FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME, ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THE PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

- NOTES:
1. THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT.
  2. BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

PERSONNEL

Chris Taylor

Mike Morgan

Kendall Bane

INVESTIGATED BY D. Michael Gragg

DRAWN BY Wesley Shuecraft

CHECKED BY Kenny Bussey

SUBMITTED BY ICA Engineering

DATE September, 2016



DocuSigned by:

Kenneth Bussey

9/13/2016

6EB2C05E3A1B48C...

SIGNATURE

DATE

DOCUMENT NOT CONSIDERED FINAL  
UNLESS ALL SIGNATURES COMPLETED

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION  
 DIVISION OF HIGHWAYS  
**GEOTECHNICAL ENGINEERING UNIT**  
**SUBSURFACE INVESTIGATION**  
 SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

**SOIL DESCRIPTION**  
 SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (AASHTO T 206, ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE, VERY STIFF, GRAY, SILTY CLAY, MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6

**SOIL LEGEND AND AASHTO CLASSIFICATION**

GENERAL CLASS.	GRANULAR MATERIALS (≤ 35% PASSING #200)							SILT-CLAY MATERIALS (> 35% PASSING #200)							ORGANIC MATERIALS			
	A-1	A-3	A-2	A-2-4	A-2-5	A-2-6	A-2-7	A-4	A-5	A-6	A-7	A-1, A-2	A-3	A-4, A-5	A-6, A-7			
GROUP CLASS.	A-1-a	A-1-b	A-2-4	A-2-5	A-2-6	A-2-7	A-4	A-5	A-6	A-7	A-1, A-2	A-3	A-4, A-5	A-6, A-7				
SYMBOL	[Patterned boxes for granular materials]							[Patterned boxes for silt-clay materials]							[Patterned boxes for organic materials]			
% PASSING #10 #40 #200	50 MX 30 MX 15 MX	50 MX 25 MX	51 MN 10 MX	35 MX	35 MX	35 MX	35 MX	36 MN	36 MN	36 MN	36 MN	36 MN	36 MN	36 MN				
MATERIAL PASSING #40 LL PI	[Soil symbols]							[Soil symbols]							[Soil symbols]			
GROUP INDEX	[Values]							[Values]							[Values]			
USUAL TYPES OF MAJOR MATERIALS	STONE FRAGS. GRAVEL, AND SAND			FINE SAND			SILTY OR CLAYEY GRAVEL AND SAND			SILTY SOILS			CLAYEY SOILS			MUCK, PEAT		
GEN. RATING AS SUBGRADE	EXCELLENT TO GOOD							FAIR TO POOR							FAIR TO POOR POOR UNSUITABLE			

**CONSISTENCY OR DENSENESS**

PRIMARY SOIL TYPE	COMPACTNESS OR CONSISTENCY	RANGE OF STANDARD PENETRATION RESISTANCE (N-VALUE)	RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/FT <sup>2</sup> )
GENERALLY GRANULAR MATERIAL (NON-COHESSIVE)	VERY LOOSE LOOSE MEDIUM DENSE DENSE VERY DENSE	< 4 4 TO 10 10 TO 30 30 TO 50 > 50	N/A
GENERALLY SILT-CLAY MATERIAL (COHESIVE)	VERY SOFT SOFT MEDIUM STIFF STIFF VERY STIFF HARD	< 2 2 TO 4 4 TO 8 8 TO 15 15 TO 30 > 30	< 0.25 0.25 TO 0.5 0.5 TO 1.0 1 TO 2 2 TO 4 > 4

**TEXTURE OR GRAIN SIZE**

U.S. STD. SIEVE SIZE OPENING (MM)	4	10	40	60	200	270
	4.76	2.00	0.42	0.25	0.075	0.053
BOULDER (BLDR.)						
COBBLE (COB.)						
GRAVEL (GR.)						
COARSE SAND (CSE. SD.)						
FINE SAND (F SD.)						
SILT (SL.)						
CLAY (CL.)						

**SOIL MOISTURE - CORRELATION OF TERMS**

SOIL MOISTURE SCALE (ATTERBERG LIMITS)	FIELD MOISTURE DESCRIPTION	GUIDE FOR FIELD MOISTURE DESCRIPTION
LL - LIQUID LIMIT	- SATURATED - (SAT.)	USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE
PL - PLASTIC LIMIT	- WET - (W)	SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE
OM - OPTIMUM MOISTURE SHRINKAGE LIMIT	- MOIST - (M)	SOLID; AT OR NEAR OPTIMUM MOISTURE
SL - SHRINKAGE LIMIT	- DRY - (D)	REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE

**PLASTICITY**

NON PLASTIC	PLASTICITY INDEX (PI)	DRY STRENGTH
Slightly Plastic	0-5	VERY LOW
Moderately Plastic	6-15	SLIGHT
Highly Plastic	16-25	MEDIUM
	26 OR MORE	HIGH

**COLOR**  
 DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.

**GRADATION**  
 WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE.  
 UNIFORMLY GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE.  
 GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES.

**ANGULARITY OF GRAINS**  
 THE ANGULARITY OR ROUNDNESS OF SOIL GRAINS IS DESIGNATED BY THE TERMS: ANGULAR, SUBANGULAR, SUBROUNDED, OR ROUNDED.

**MINERALOGICAL COMPOSITION**  
 MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHEN THEY ARE CONSIDERED OF SIGNIFICANCE.

**COMPRESSIBILITY**  
 SLIGHTLY COMPRESSIBLE LL < 31  
 MODERATELY COMPRESSIBLE LL = 31 - 50  
 HIGHLY COMPRESSIBLE LL > 50

**PERCENTAGE OF MATERIAL**

ORGANIC MATERIAL	GRANULAR SOILS	SILT - CLAY SOILS	OTHER MATERIAL
TRACE OF ORGANIC MATTER	2 - 3%	3 - 5%	TRACE 1 - 10%
LITTLE ORGANIC MATTER	3 - 5%	5 - 12%	LITTLE 10 - 20%
MODERATELY ORGANIC	5 - 10%	12 - 20%	SOME 20 - 35%
HIGHLY ORGANIC	> 10%	> 20%	HIGHLY 35% AND ABOVE

**GROUND WATER**

▽ WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING  
 ▽ STATIC WATER LEVEL AFTER 24 HOURS  
 ▽ PW PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA  
 ○ SPRING OR SEEP

**MISCELLANEOUS SYMBOLS**

ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION  
 SOIL SYMBOL  
 ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT  
 INFERRED SOIL BOUNDARY  
 INFERRED ROCK LINE  
 ALLUVIAL SOIL BOUNDARY

DIP & DIP DIRECTION OF ROCK STRUCTURES  
 SPT TEST BORING  
 AUGER BORING  
 CORE BORING  
 MONITORING WELL  
 PIEZOMETER INSTALLATION

SLOPE INDICATOR INSTALLATION  
 CONE PENETROMETER TEST  
 SOUNDING ROD  
 TEST BORING WITH CORE  
 SPT N-VALUE

**RECOMMENDATION SYMBOLS**

UNDERCUT  
 SHALLOW UNDERCUT  
 UNCLASSIFIED EXCAVATION - UNSUITABLE WASTE  
 UNCLASSIFIED EXCAVATION - ACCEPTABLE DEGRADABLE ROCK  
 UNCLASSIFIED EXCAVATION - ACCEPTABLE, BUT NOT TO BE USED IN THE TOP 3 FEET OF EMBANKMENT OR BACKFILL

**ABBREVIATIONS**

AR - AUGER REFUSAL  
 BT - BORING TERMINATED  
 CL - CLAY  
 CPT - CONE PENETRATION TEST  
 CSE - COARSE  
 DMT - DILATOMETER TEST  
 DPT - DYNAMIC PENETRATION TEST  
 e - VOID RATIO  
 F - FINE  
 FOSS. - FOSSILIFEROUS  
 FRAC. - FRACTURED, FRACTURES  
 FRAGS. - FRAGMENTS  
 HI. - HIGHLY

MED. - MEDIUM  
 MICA - MICACEOUS  
 MOD. - MODERATELY  
 NP - NON PLASTIC  
 ORG. - ORGANIC  
 PMT - PRESSUREMETER TEST  
 SAP. - SAPROLITIC  
 SD. - SAND, SANDY  
 SL. - SILT, SILTY  
 SLI. - SLIGHTLY  
 TCR - TRICONE REFUSAL  
 w - MOISTURE CONTENT  
 V - VERY

VST - VANE SHEAR TEST  
 WEA. - WEATHERED  
 U - UNIT WEIGHT  
 U<sub>g</sub> - DRY UNIT WEIGHT

SAMPLE ABBREVIATIONS  
 S - BULK  
 SS - SPLIT SPOON  
 ST - SHELBY TUBE  
 RS - ROCK  
 RT - RECOMPACTED TRIAXIAL  
 CBR - CALIFORNIA BEARING RATIO

**EQUIPMENT USED ON SUBJECT PROJECT**

DRILL UNITS:  
 CME-45C  
 CME-55  
 CME-550  
 VANE SHEAR TEST  
 PORTABLE HOIST

ADVANCING TOOLS:  
 CLAY BITS  
 6" CONTINUOUS FLIGHT AUGER  
 8" HOLLOW AUGERS  
 HARD FACED FINGER BITS  
 TUNG-CARBIDE INSERTS  
 CASING  W/ ADVANCER  
 TRICONE \*STEEL TEETH  
 TRICONE \*TUNG-CARB.  
 CORE BIT

HAMMER TYPE:  
 AUTOMATIC  MANUAL

CORE SIZE:  
 -B  -H  
 -N Q2

HAND TOOLS:  
 POST HOLE DIGGER  
 HAND AUGER  
 SOUNDING ROD  
 VANE SHEAR TEST

**ROCK DESCRIPTION**  
 HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED, AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:

WEATHERED ROCK (WR)  
 NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT N VALUES > 100 BLOWS PER FOOT IF TESTED.

CRYSTALLINE ROCK (CR)  
 FINE TO COARSE GRAIN IGNEOUS AND METAMORPHIC ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES GRANITE, GNEISS, GABBRO, SCHIST, ETC.

NON-CRYSTALLINE ROCK (NCR)  
 FINE TO COARSE GRAIN METAMORPHIC AND NON-COASTAL PLAIN SEDIMENTARY ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES PHYLLITE, SLATE, SANDSTONE, ETC.

COASTAL PLAIN SEDIMENTARY ROCK (CP)  
 COASTAL PLAIN SEDIMENTS CEMENTED INTO ROCK, BUT MAY NOT YIELD SPT REFUSAL. ROCK TYPE INCLUDES LIMESTONE, SANDSTONE, CEMENTED SHELL BEDS, ETC.

**WEATHERING**

FRESH  
 ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE.

VERY SLIGHT (V SLI.)  
 ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN. CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE.

SLIGHT (SLI.)  
 ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS.

MODERATE (MOD.)  
 SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK.

MODERATELY SEVERE (MOD. SEV.)  
 ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES "CLUNK" SOUND WHEN STRUCK. IF TESTED, WOULD YIELD SPT REFUSAL

SEVERE (SEV.)  
 ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. IF TESTED, WOULD YIELD SPT N VALUES > 100 BPF

VERY SEVERE (V SEV.)  
 ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE THAT ONLY MINOR VESTIGES OF ORIGINAL ROCK FABRIC REMAIN. IF TESTED, WOULD YIELD SPT N VALUES < 100 BPF

COMPLETE  
 ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.

**ROCK HARDNESS**

VERY HARD  
 CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK.

HARD  
 CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN.

MODERATELY HARD  
 CAN BE SCRATCHED BY KNIFE OR PICK. GOUGES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS.

MEDIUM HARD  
 CAN BE GROUDED OR GOUGED 0.25 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PIECES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK.

SOFT  
 CAN BE GROUDED OR GOUGED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE.

VERY SOFT  
 CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGER NAIL.

**FRACTURE SPACING**

TERM	SPACING
VERY WIDE	MORE THAN 10 FEET
WIDE	3 TO 10 FEET
MODERATELY CLOSE	1 TO 3 FEET
CLOSE	0.16 TO 1 FOOT
VERY CLOSE	LESS THAN 0.16 FEET

**BEDDING**

TERM	THICKNESS
VERY THICKLY BEDDED	4 FEET
THICKLY BEDDED	1.5 - 4 FEET
THINLY BEDDED	0.16 - 1.5 FEET
VERY THINLY BEDDED	0.03 - 0.16 FEET
THICKLY LAMINATED	0.008 - 0.03 FEET
THINLY LAMINATED	< 0.008 FEET

**INDURATION**  
 FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC.

FRIABLE  
 RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.

MODERATELY INDURATED  
 GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.

INDURATED  
 GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.

EXTREMELY INDURATED  
 SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.

**TERMS AND DEFINITIONS**

ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER.  
 AQUIFER - A WATER BEARING FORMATION OR STRATA.  
 ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND.  
 ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC.  
 ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE.  
 CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE.  
 COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE.  
 CORE RECOVERY (REC.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.  
 DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK.  
 DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL.  
 DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH.  
 FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE.  
 FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES.  
 FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLOADED FROM PARENT MATERIAL.  
 FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM.  
 FORMATION (FM) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD.  
 JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED.  
 LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT.  
 LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS.  
 MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE.  
 PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM.  
 RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK.

ROCK QUALITY DESIGNATION (ROD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.  
 SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK.  
 SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS.  
 SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE.  
 STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS (N OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS.  
 STRATA CORE RECOVERY (SREC.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE.  
 STRATA ROCK QUALITY DESIGNATION (SROD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE.  
 TOPSOIL (TS.) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.

BENCH MARK: BM 1  
 N 636083 E 1660377 BL STATION 23+96.00 136' RIGHT  
 RR SPIKE IN 12" SWEETGUM ELEVATION: 519.68 FEET


**NOTES:**  
 BORING ELEVATIONS OBTAINED BY SURVEY CONDUCTED 8-30-2016




END BENT 1 STA. 12+75 -L-  
SKEW 83

DO NOT  
DISTURB GATE


END BENT 1 STA. 13+35 -L-  
SKEW 83






PROJECT REFERENCE NO.	SHEET NO.
SF-610011	4
<b>PROFILE</b> 15' LT. of -L-	

GROUNDLINE PROFILE CREATED FROM 610011\_ls\_tnl.tin FILE RECEIVED FROM NCDOT DATED 2/1/2016  
 INFERRED STRATIGRAPHY IS DRAWN AT THE PROFILE OFFSET WITH THE BORINGS PROJECTED ONTO THE PROFILE




- (A) **ALLUVIAL:** Orange & brown, moist, soft, sandy CLAY w/trc. gravel
- (B) **RESIDUAL:** Brown & orange, moist, stiff, sandy CLAY w/rock frags. in part.
- (C) **WR:** META-GRAYWACKE
- (D) **NCR:** Gray w/dk. brown, brown-orange & orange-yellow stain, fresh to slt. weathered w/severe to completely weathered seams to 0.2' thickness in part, hard, v. close to mod. close frac. spacing, thickly bedded, extremely indurated, META-GRAYWACKE w/trc. pyrite cubes & pinpoint vugs in part

GROUNDLINE PROFILE CREATED FROM 610011\_ls\_tnl.tin FILE DATED 2/1/2016  
83° SKEW RT  
-L-



- (A) **ALLUVIAL:** Orange & brown, moist, soft, sandy CLAY w/trc. gravel
- (B) **WR:** META-GRAYWACKE
- (C) **NCR:** Gray, dk. brown, brown-orange & orange-yellow stain, fresh to slt. weathered w/severe to completely weathered seams to 0.2' thickness in part, hard, v. close to mod. close frac. spacing, thickly bedded, extremely indurated. META-GRAYWACKE w/trc. pyrite cubes & pinpoint vugs

GROUNDLINE PROFILE CREATED FROM 610011\_ls\_tnl.tin FILE DATED 2/1/2016  
7°50'14" SKEW LT  
-L-



- (A) **RESIDUAL:** Brown, orange & tan, moist, stiff, sandy CLAY w/rock frags.
- (B) **NCR:** Gray, trcs. yellow-brown & dk. brown-orange stain, fresh to slt. weathered w/completely weathered seam of 0.1' thickness in part, hard, close to mod. close frac. spacing, thickly bedded, extremely indurated, META-GRAYWACKE w/trc. pyrite grains & cubes



# GEOTECHNICAL BORING REPORT

## CORE LOG


WBS 17BP.8.R.105		TIP SF-610011		COUNTY MONTGOMERY		GEOLOGIST Taylor, C.					
SITE DESCRIPTION Bridge No. 011 on SR 1164 (Tuckertown Rd.) over Garr Creek							GROUND WTR (ft)				
BORING NO. EB1-A		STATION 12+77		OFFSET 15 ft LT		ALIGNMENT -L-					
COLLAR ELEV. 515.4 ft		TOTAL DEPTH 20.2 ft		NORTHING 636,230		EASTING 1,659,888					
DRILL RIG/HAMMER EFF./DATE HDR0404 CME-45C 91.5% 11/10/2015				DRILL METHOD NW Casing w/ Core		HAMMER TYPE Automatic					
DRILLER Morgan, M.		START DATE 06/21/16		COMP. DATE 06/21/16		SURFACE WATER DEPTH N/A					
CORE SIZE NQ2		TOTAL RUN 8.3 ft									
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (ft) %	RQD (ft) %	SAMP. NO.	REC. (ft) %			
503.5										Begin Coring @ 11.9 ft	
	503.5	11.9	3.3	2:12/0.3	(3.3)	(0.0)				<b>NON-CRYSTALLINE ROCK</b>	11.9
				3:31	100%	0%				Gray, brown-orange & dk. brown stain, sli. weathered w/sev. to completely weathered seams at 12.3'-12.5' and 13.3'-13.4', hard, v. close to close frac. spacing, extremely indurated <b>META-GRAYWACKE</b>	
500	500.2	15.2	5.0	2:38			(8.3)	(2.0)		6 80° jts. w/iron oxide stain; 3 70°-80° healed jts.; 5 40°-45° jts. w/iron oxide stain; 30+ 10°-20° jts. w/iron stain; 4 0° discontinuities w/clay & rock frag. infill to 0.1'	
				2:54						Note: Segments of core highly fractured.	
				2:05	(5.0)	(2.0)				Boring Terminated at Elevation 495.2 ft in Non-Crystalline Rock (Meta-graywacke).	
				2:35	100%	40%					
				3:19							
				3:47							
	495.2	20.2		2:40							20.2

NCDOT CORE DOUBLE\_SF610011\_GEO\_BRDG\_GARR CREEK.GPJ NC\_DOT.GDT 9/9/16

# CORE PHOTOGRAPHIC RECORD

Bridge No. 011 on SR 1164 (Tuckertown Road) over Garr Creek

**EB1-A**  
**STA. 12+77 @ 15' Lt.**  
**Box 1 of 1: 11.9-20.2 FEET**



# GEOTECHNICAL BORING REPORT

## BORE LOG

WBS 17BP.8.R.105		TIP SF-610011		COUNTY MONTGOMERY		GEOLOGIST Taylor, C.										
SITE DESCRIPTION Bridge No. 011 on SR 1164 (Tuckertown Rd.) over Garr Creek							GROUND WTR (ft)									
BORING NO. EB1-B		STATION 12+73		OFFSET 15 ft RT		ALIGNMENT -L-										
COLLAR ELEV. 514.5 ft		TOTAL DEPTH 21.0 ft		NORTHING 636,206		EASTING 1,659,907										
DRILL RIG/HAMMER EFF./DATE HDR0404 CME-45C 91.5% 11/10/2015				DRILL METHOD NW Casing w/ Core		HAMMER TYPE Automatic										
DRILLER Morgan, M.		START DATE 06/22/16		COMP. DATE 06/22/16		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION			
			0.5ft	0.5ft	0.5ft	0	25	50	75	100			ELEV. (ft)	DEPTH (ft)		
515														514.5	0.0	GROUND SURFACE
510	509.5	5.0	2	3	4											ALLUVIAL Interpreted as orange & brown, moist, soft, sandy CLAY w/trc. gravel frags. (A-6).
505	504.5	10.0	60/0.0											504.5	10.0	NON-CRYSTALLINE ROCK Meta-graywacke
500																
495														493.5	21.0	Boring Terminated at Elevation 493.5 ft in Non-Crystalline Rock (Meta-graywacke).


NCDOT BORE DOUBLE\_SF610011\_GEO\_BRDG\_GARR\_CREEK.GPJ\_NC\_DOT.GDT\_8/31/16




# CORE PHOTOGRAPHIC RECORD

Bridge No. 011 on SR 1164 (Tuckertown Road) over Garr Creek

**EB1-B**  
**STA. 12+73 @ 15' Rt.**  
**Box 1 of 2: 10.0-18.4 FEET**



**EB1-B**  
**STA. 12+73 @ 15' Rt.**  
**Box 2 of 2: 18.4-21.0 FEET**



# GEOTECHNICAL BORING REPORT

## BORE LOG

WBS 17BP.8.R.105		TIP SF-610011		COUNTY MONTGOMERY		GEOLOGIST Taylor, C.									
SITE DESCRIPTION Bridge No. 011 on SR 1164 (Tuckertown Rd.) over Garr Creek							GROUND WTR (ft)								
BORING NO. EB2-A		STATION 13+33		OFFSET 15 ft LT		ALIGNMENT -L-	0 HR. 5.8								
COLLAR ELEV. 516.2 ft		TOTAL DEPTH 20.7 ft		NORTHING 636,266		EASTING 1,659,935	24 HR. FIAD								
DRILL RIG/HAMMER EFF./DATE HDR0404 CME-45C 91.5% 11/10/2015				DRILL METHOD NW Casing w/ Core		HAMMER TYPE Automatic									
DRILLER Morgan, M.		START DATE 06/23/16		COMP. DATE 06/23/16		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION		
			0.5ft	0.5ft	0.5ft	0	25	50	75	100			ELEV. (ft)	DEPTH (ft)	
520															
515														516.2	GROUND SURFACE 0.0
510	511.5	4.7	2	3	8							M			<b>RESIDUAL</b> Brown & orange, moist, med. stiff, sandy <b>CLAY</b> w/rock frags. in part (A-6).
505	506.5	9.7	60/0.0											506.5	9.7
500															<b>NON-CRYSTALLINE ROCK</b> Meta-graywacke
														495.5	20.7
															Boring Terminated at Elevation 495.5 ft in Non-Crystalline Rock (Meta-graywacke).

NCDOT BORE DOUBLE\_SF610011\_GEO\_BRDG\_GARR\_CREEK.GPJ NC\_DOT.GDT 9/9/16

# GEOTECHNICAL BORING REPORT

## CORE LOG


WBS 17BP.8.R.105		TIP SF-610011		COUNTY MONTGOMERY		GEOLOGIST Taylor, C.						
SITE DESCRIPTION Bridge No. 011 on SR 1164 (Tuckertown Rd.) over Garr Creek							GROUND WTR (ft)					
BORING NO. EB2-A		STATION 13+33		OFFSET 15 ft LT		ALIGNMENT -L-						
COLLAR ELEV. 516.2 ft		TOTAL DEPTH 20.7 ft		NORTHING 636,266		EASTING 1,659,935						
DRILL RIG/HAMMER EFF./DATE HDR0404 CME-45C 91.5% 11/10/2015				DRILL METHOD NW Casing w/ Core		HAMMER TYPE Automatic						
DRILLER Morgan, M.		START DATE 06/23/16		COMP. DATE 06/23/16		SURFACE WATER DEPTH N/A						
CORE SIZE NQ2		TOTAL RUN 11.0 ft										
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)	
					REC. (ft) %	RQD (ft) %	REC. (ft) %	RQD (ft) %				
506.5	506.5	9.7	1.0	N=60/0.0 2:45	(0.9)	(0.0)	(10.8)	(8.9)		Begin Coring @ 9.7 ft	9.7	
505	505.5	10.7	5.0	2:04 2:06 2:32 2:59 3:22	90% (4.9)	0% (4.3)				NON-CRYSTALLINE ROCK Gray, trc. yellow-brown, dk. brown to dk. brownish-orange stain, sli. to fresh weathering w/completely weathered seam at 10.9'-11.0', hard, close to mod. close frac. spacing, thick bedded, extremely indurated <b>META-GRAYWACKE</b> w/pyrite grains & cubes to 7mmx7mm. 1 75° jt. w/iron stain & trcs. clay; 1 60° jt. w/rough walls, iron oxide stain; 8 0°-10° jts. w/iron oxide stain; 2 0° discontinuities w/clay infill (11.0'-11.1').		
500	500.5	15.7	5.0	3:41 3:27 3:15 3:23 4:02	98% 100%	86% 92%						
	495.5	20.7										
											Boring Terminated at Elevation 495.5 ft in Non-Crystalline Rock (Meta-graywacke).	

NCDOT CORE DOUBLE\_SF610011\_GEO\_BRDG\_GARR CREEK.GPJ NC\_DOT.GDT 9/9/16


# CORE PHOTOGRAPHIC RECORD

Bridge No. 011 on SR 1164 (Tuckertown Road) over Garr Creek

**EB2-A**  
**STA. 13+33 @ 15' Lt.**  
**Box 1 of 2: 9.7-17.7 FEET**



**EB2-A**  
**STA. 13+33 @ 15' Lt.**  
**Box 2 of 2: 17.7-20.7 FEET**



# GEOTECHNICAL BORING REPORT

## BORE LOG

WBS 17BP.8.R.105		TIP SF-610011		COUNTY MONTGOMERY		GEOLOGIST Taylor, C.										
SITE DESCRIPTION Bridge No. 011 on SR 1164 (Tuckertown Rd.) over Garr Creek							GROUND WTR (ft)									
BORING NO. EB2-B		STATION 13+47		OFFSET 15 ft RT		ALIGNMENT -L-	0 HR. 4.6									
COLLAR ELEV. 515.0 ft		TOTAL DEPTH 20.5 ft		NORTHING 636,247		EASTING 1,659,962	24 HR. FIAD									
DRILL RIG/HAMMER EFF./DATE HDR0404 CME-45C 91.5% 11/10/2015				DRILL METHOD NW Casing w/ Core		HAMMER TYPE Automatic										
DRILLER Morgan, M.		START DATE 06/22/16		COMP. DATE 06/22/16		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION			
			0.5ft	0.5ft	0.5ft	0	25	50	75	100			ELEV. (ft)	DEPTH (ft)		
515														515.0	0.0	GROUND SURFACE
510	510.5	4.5	3	3	7						M	<b>RESIDUAL</b> Brown, orange & tan, moist, stiff, sandy <b>CLAY</b> w/rock frags. (A-6).				
505	505.5	9.5	60/0.0											505.5	9.5	<b>NON-CRYSTALLINE ROCK</b> Meta-graywacke
500																
495													494.5	20.5	Boring Terminated at Elevation 494.5 ft in Non-Crystalline Rock (Meta-graywacke).  Boring relocated due to steep embankment slope.	

NCDOT BORE DOUBLE\_SF610011\_GEO\_BRDG\_GARR\_CREEK.GPJ\_NC\_DOT.GDT\_8/31/16

# GEOTECHNICAL BORING REPORT

## CORE LOG


WBS 17BP.8.R.105		TIP SF-610011		COUNTY MONTGOMERY		GEOLOGIST Taylor, C.					
SITE DESCRIPTION Bridge No. 011 on SR 1164 (Tuckertown Rd.) over Garr Creek							GROUND WTR (ft)				
BORING NO. EB2-B		STATION 13+47		OFFSET 15 ft RT		ALIGNMENT -L-					
COLLAR ELEV. 515.0 ft		TOTAL DEPTH 20.5 ft		NORTHING 636,247		EASTING 1,659,962					
DRILL RIG/HAMMER EFF./DATE HDR0404 CME-45C 91.5% 11/10/2015				DRILL METHOD NW Casing w/ Core		HAMMER TYPE Automatic					
DRILLER Morgan, M.		START DATE 06/22/16		COMP. DATE 06/22/16		SURFACE WATER DEPTH N/A					
CORE SIZE NQ2		TOTAL RUN 11.0 ft									
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (ft) %	RQD (ft) %	SAMP. NO.	REC. (ft) %			
505.5	505.5	9.5	1.0	N=60/0.0	(1.0)	(0.5)	(10.5)	(9.8)		Begin Coring @ 9.5 ft	9.5
500	504.5	10.5	5.0	2:37	100%	50%	95%	89%		<b>NON-CRYSTALLINE ROCK</b> Gray, trcs. yellow-brown, dk. brown stain, fresh to v. sli. weathering, hard, close to mod. close frac. spacing, thick bedded, extremely indurated <b>META-GRAYWACKE</b> w/trcs. pyrite in grains to cubes to 10mmx10mm. 3 60° jts. w/iron oxide stain-intersecting; 8 20°-30° jts. some w/iron oxide stain; 4 0°-10° jts. w/iron oxide stain; 1 70° healed jt.	
	499.5	15.5		2:35 2:59 3:33 3:39 3:02	(4.6) 92%	(4.4) 88%					
495	494.5	20.5	5.0	2:47 2:59 2:59 2:52 3:13	(4.9) 98%	(4.9) 98%					
Boring Terminated at Elevation 494.5 ft in Non-Crystalline Rock (Meta-graywacke).											
Boring relocated due to steep embankment slope.											

NCDOT CORE DOUBLE\_SF610011\_GEO\_BRDG\_GARR CREEK.GPJ NC\_DOT.GDT 8/31/16


# CORE PHOTOGRAPHIC RECORD

Bridge No. 011 on SR 1164 (Tuckertown Road) over Garr Creek

**EB2-B**  
**STA. 13+47 @ 15' Rt.**  
**Box 1 of 2: 9.5-17.3 FEET**



**EB2-B**  
**STA. 13+47 @ 15' Rt.**  
**Box 2 of 2: 17.3-20.5 FEET**



# GEOTECHNICAL BORING REPORT

## BORE LOG

WBS 17BP.8.R.105		TIP SF-610011		COUNTY MONTGOMERY		GEOLOGIST Abernathy, S.										
SITE DESCRIPTION Bridge No. 011 on SR 1164 (Tuckertown Rd.) over Garr Creek							GROUND WTR (ft)									
BORING NO. DR-1175		STATION 11+75		OFFSET CL		ALIGNMENT -DR-										
COLLAR ELEV. 515.4 ft		TOTAL DEPTH 12.7 ft		NORTHING 636,319		EASTING 1,659,997										
DRILL RIG/HAMMER EFF./DATE HDR0404 CME-45C 91.5% 11/10/2015				DRILL METHOD H.S. Augers		HAMMER TYPE Automatic										
DRILLER Morgan, M.		START DATE 07/11/16		COMP. DATE 07/11/16		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION			
			0.5ft	0.5ft	0.5ft	0	25	50	75	100			ELEV. (ft)	DEPTH (ft)		
520																
515														515.4	GROUND SURFACE	0.0
														512.4	<b>RESIDUAL</b> Interpreted as brown & gray, dry, sandy CLAY w/rock frags. (A-6).	3.0
510	511.1	4.3	45	55/0.3											<b>WEATHERED ROCK</b> Meta-graywacke	
505	506.1	9.3	100/0.4													
	502.8	12.6	60/0.1											502.8	<b>NON-CRYSTALLINE ROCK</b> Meta-graywacke	12.6
														502.7	Boring Terminated with Standard Penetration Test Refusal at Elevation 502.7 ft in Non-Crystalline Rock (Meta-graywacke).	12.7

NCDOT BORE DOUBLE\_SF610011\_GEO\_BRDG\_GARR\_CREEK.GPJ NC\_DOT.GDT 9/9/16